

INDEX TO VOLUME 71

A

Acanthocephala
Echinorhynchus leidyi, 287
Pomphorhynchus bulbocotli, 287

Acipenseridae
Acipenser fulverscens, 203

Administration, fisheries, 27-28
 fishery programs, 315-331

Age, correlation, egg production, 195-200
 at capture, whitefish, 119

trout, Upper Angora Lake, 264-255

Agricultural Extension Service, 340

Alaska, fishery statistics, 68
 fisheries, management, 329

Adrich, A. D. (disc.), 313-314

Alderfly larvae, 255

Alewives, potential yields, 65

Algae, filamentous, 94-95, 115

Allen, K. Radway, 275-283

Allequash Lake, growth of rock bass, 131-143
 limnological data, 132

Allocapnia torontoensis, 221-224

Alosa sapidissima, 144-145

Ambloplites rupestris, 131-143, 272

Ameiuridae
Ameiurus melas catulus, 206
natalis, 103, 206
nebulosus marmoratus, 206

Ictalurus furcatus, 203
lacustris punctatus, 203-206

Pilotichthys olivaris, 203

American Fish Policy, 28, 297, 315-331
 Wildlife Institute, 320

Amiidae
Amia calva, 203, 206

Amphibia
Pseudobranchus striatus, 187

Amphiodontidae
Amphiodon alosoides, 203

Anadromous fishes, 301

Anchor tag, 228-235

Androscoggin Watershed, 333

Annelida, 170-175
 Chaetopoda, 109-111
 Hirudinea, 221-225
 Lumbricidae, 220-225
Spiraganophilus sp., 187

Angling, effect of dams, 305-306
 in municipal reservoirs, 313-314
 reserve for children, 321
 report, division of, 29-32

Angora Lake, management problems, 236-248

Anisoptera, 109-175

Ants, 109-111, 256

Amyda ferax, 187

Aphanotecte, 176

Aplochitonotus grunniens, 203-210

Appendices, 373-398

Applications, fish, review of, 343-344

Appropriations, recommended, Federal construction, 309

Aquatic biology, definition, 23-24
 and physics, report, division of, 23-26

worms, 220-225

Arachnida, 109-111

Arkansas Valley Authority, 29, 308

Atherinidae
Labidesthes sicculus, 185-194, 203-210

Atlantic Marine Fishery Compact, 27, 323, 330
 Ocean, fishery statistics, 65-67

Auditing committee, report, 51
 Availability factor, 275-283

B

B. coli, 314

Baetis vagans, 220-224

Bait, propagation of, 326

Barkley Bill, 42

Barr fishway, 317

Bass, black, 339, 349, 356, 365
 eggs per female, 350
 largemouth black, 96, 99, 103, 175-176, 203-206, 218, 347, 350, 351, 357, 358
 in Florida lakes, 184-194
 production in ponds, 166-179

rock, 272, 346, 348, 357

sea, potential yields, 66

smallmouth black, 344, 346, 351, 370

spotted, 203, 346

striped, potential yields, 66
 white, 206
 potential yields, 69

yellow, 206

Bay (see under proper name)

Bees, 109-111, 256

Beetles, 109-111, 221, 225, 256-257

Bennett, George W. (disc.), 326-328

Bias, scale measurements, 75-76

Big Prairie Pond, 185-194
 "Biological balance law", 319

Bluefish, potential yields, 66, 67

Bluegill, 96, 103, 203-206, 254, 346, 347, 349, 356, 357
 feeding habits, 175-176
 mortality, 112-114
 production in ponds, 166-179, 358

Bonneville Dam, 301, 302, 310

Bottinelli, M. J. (In Memoriam), 58

Bottom fauna, 255-256
 available food, 275-283
 in ponds, 165-179
 seasonal variation, 169
 trout stream, 220-223

Boulder Dam, 92, 305

Bowfin, 203, 206

Brachycentrus americanus, 225

Brown, C. J. D., 195-200; (disc.), 335-336

Brown, James, 18

Brown, Merrill W., (In Memoriam), 58

Buck Bill, 28-29, 38
 resolution on, 53

Buck Pond, 186-194

Buckeye Lake, 346

Buffalo, 203-206

Bugs, 109-111, 225, 257

Bullhead, 203-206, 333, 347
 potential yields, 69

Burbot, potential yield, 69

Bureau of Reclamation, 301-304

Butterfish, potential yields, 66

Butterflies, 110-111

Button tag, 228-235

By-laws and constitution, 374-377
 amendment to, 51-52

C

Caddisfly, larvae, 107, 109-111, 170-175, 220-224, 255

California, Lower, fishing, 36

Cannibalism, 350

Carassius auratus, 123-129
Carbine, W. F., 149-164; (disc.), 357
Carex, 219
Carp, 316
 fresh and frozen, 363
 mortality, 112-114
 potential yields, 68-69
Carpio *cypinus*, 206
 sp., 205
Catfish, 203-206, 346
 channel, 347-348
 potential yields, 69
Catostomus *l. labellaris*, 107
Catostomidae
Carpio *cypinus*, 206
 sp., 205
Catostomus c. catostomus, 107
commersonni, 107, 112-114, 287
Erimyzon suetta, 185-194
Ictiobus bubalus, 206
niger, 206
 Central Valley Project, 303
Centrarchidae
Ambloplites rupestris, 131-143, 272
Chenopobrytus gulosus, 184-194, 203-206
Eupomotis microlophus, 185-194
Helicoperca macrochiru, 184-194, 254
Huro salmoides, 96, 99, 103, 166-179, 184-194, 203-206
Lepomis cyanellus, 203-206
humilis, 206
macrochirus, 96, 103, 112-114, 166-179, 203-206
m. megalotis, 206
microlophus, 206
Micropterus punctulatus, 203
Pomoxis annularis, 103, 178, 203-206
nigro-maculatus, 112-114, 203-206
Ceratopogonidae, 170-175
 Certificate of incorporation, 373
Cestoda
Eubothrium salvini, 287
Gliridacris confusa, 287
Cladocera, 255-256
Clams, 255
 potential yields, 65, 68
 Clark, Arthur L., 27-29
 Classification, fish-cultural products, 290-293
 Clearwater Lake, 185-194
Clinostomum marginatum, 287
Clupeidae
Alosa sapidissima, 144-145
Pomolobus chrysocloris, 203, 206
Chenopobrytus gulosus, 184-194, 203-206
Chaetopoda, 109-111
Champlain, Lake, 34
Chaoboridae, 170-175
Chaoborus, 187
Char, 333
Chara sp., 99-100
Cherokee Reservoir, 351
 Chesapeake Bay, decline of shad, 144-145
 fishery statistics, 66
 Children's angling reserve, 321
Chimarra aterrima, 221
Chippewa National Forest, 337
Chironomidae, 170-175, 221-225, 278-279
Chironomus modestus, 220-224
Chlamydomonas, 115
Chub, lake, 254, 256
 northern creek, 107
 potential yield, 69
Chute, Walter H., 38-39
Cisco, potential yield, 69

Coarse fish, problem, 267-268
 removal, 319
Cod, potential yield, 65-66, 68
Coleoptera, 109-111
Bidessus sp., 225
Stenelmis sp., 221
Collembola, 109-111
 Colorado, legislation, 28
 River, 302, 305
 Columbia River Power Authority, 29
 Committees, appointment of, 50-51
 membership of, 4-5
 reports, 33-56
 Compact, Atlantic States Marine Fisheries, 27, 323, 330
 Connecticut, legislation, 27
 Watershed, 333
 Conservation education, 331
 Constitution and by-laws, 374-377
Coolidge Reservoir, 82
 Cooperation, Federal and State, 343-344
 Cooperative agreements, 320, 322
 "Coordination Act" of 1934, 307
 Copyright of *Transactions*, 41
Corygonidae
Coregonus clupeaformis, 118-121, 286-289
Corixidae, 170-175, 225
 Correction factor, growth, 74-75
 Correlation, plantings and catch, 118-121
 length, weight and egg production, 195-200
 Costs, rearing trout, 258-259
Cotocito Mountain, 321
Cottonseed meal, 363
Couesius plumbeus, 286-289
 Covariance, analysis of, 125-129
Crabs, potential yield, 67, 68
Crappie, 346, 347, 356
 eggs per female, 350
 black, 203-206
 mortality, 112-114
 white, 103, 178, 203-206, 358
Crayfish, 326
 Creel census, 318, 319, 336, 347, 359
Crepidostomum cooperi, 287
Cresol, control of parasites, 123-129
Crickets, 109-111
Cristivomer n. namaycush, 272, 286-289
Croaker, potential yield, 65, 67
Culler, C. F., (disc.), 343-346, 350, 361
Cusk, potential yield, 65
Cyprinidae
Carnassius auratus, 123-129
Carpio *cypinus*, 206
 sp., 203
Couesius plumbeus, 286-289
Cyprinus carpio, 112-114
Hybognathus nuchalis regius, 107, 215-218
Hyborhynchus notatus, 107
Leucosomus corporalis, 107, 286-289
Notropis c. cornutus, 107
Notemigonus crysoleucus, 96
Rhinichthys a. atratulus, 107
cataaractae, 107
Semotilus a. atromaculatus, 107
Cystidicola stigmatura, 287
Cystidicoloidea hardwoodi, 287

D

Dace, eastern blacknose, 107
 longnose, 107
 Dam (see under proper name)

Dams, fishery problems, 301-309
fresh-water, impoundments, 80-93
power, 324
resolution concerning, 52

Damselflies, 109-111

Daphnia, 361, 369

Darling, J. N., (disc.), 299

Darter, 203
barred fantail, 107

Deason, H. J., 39-41; (disc.), 52, 328-331

Deceased members, list, 58
resolution, 54

Deckers Brook, 106-111

Decomposition, algae, result of fertilization, 96

Delaware, legislation, 27

Density, bottom fauna, 278

Derris, powdered, treatment, 187-188, 202, 268, 353

Desmids, 115

Diatoms, 115

Diptera, 107, 109-111
Ceratopogonidae, 221
Chironomidae, 220-225, 278-279
Chironomus modestus, 220-224
Chrysops sp., 225
Rhaphidolabidae sp., 221-222
Sinulium venustum, 220-225
Tipulidae, 220-224
Tipula sp., 225

Disc tag, 228-235

Discretionary power, 27-28, 323, 339

Discussions, panel, 297-370

Diseases of fish, 316

Diversions, screening, 304, 306-307, 311-312

Dorosomatidae
Dorosome cepedianum, 203, 206

Dragonflies, 109-111, 170-175

Dredge, Petersen, 167

Drum, potential yield, 67

E

Eagle Mountain Dam, 92

Earthworms, aquatic, 109-111
effect of rotenone, 187

Echinorhynchus leidyi, 287

Ectoparasites, method of enumerating, 122-130

Education, conservation, 317, 331

Effective food grade, 277-278

Efficiency, tags for haddock, 228-235

Eggs, definition, 291
production, brown trout, 195-200
per female, 350
salmon, 284-285
sterilization, 316-317
transfer to South America, 35

Elephant Butte Reservoir, 81-82, 85-87

Ellis, M. M., 80-93

Ellsworth, Robert E., (In Memoriam), 58

Embody, Daniel R., 122-130

Emboil, gas, due to oxygen supersaturation, 113-114

Ephemeroptera, 107, 278-279
Baetis vagans, 220-224
Ephemerella invaria, 220-224
Ephemerida, 170-175

Erie, Lake, 352
fry plantings and whitefish catch, 118-121

Erimyzon suetta, 185-194

Erosion control, 338

Escapement, salmon, 302-303

Eschmeyer, R. W., (disc.), 332, 334-335, 340, 351

Esocidae
Esox lucius, 112-114, 286-289
niger, 206
niger crassus, 203

Etheostomidae
Catotomus f. fabellaris, 107
Percina caprodes caprodes, 203-206

Eubothrium salvelini, 287

Eupomotis microlophus, 185-194

F

Fall planting, 259-261

Fallfish, 107
parasites of, 286-289

Farm pond, program, 340-342

Farming methods, shellfish, 63, 70-71

Feast, C. N., (disc.), 348-349, 355-356

Federal aid in wildlife restoration, 38
construction, recommended appropriations, 309
pollution laws, 330
Power Commission, 306
stocking policy, 343, 345

Feeding habits, brook trout, 219-227
brown trout, 106-111

Fertilization, 299
controls plant growth, 94-101
lakes, 369-370
ponds, 165-169, 341-342, 359-366

"Figure pressure", 23

Fingerlings, definition, 291

First Pond, 185-194

Fish and Wildlife Service, 36-37, 44-49, 301-304, 307-308, 309, 317, 322, 328-331, 335, 343-345, 351

Fish as crops, 329-330
cultural products, classification, 290-293
measurement, 292-293
culture, report, 22-23
commercial species, 26

Culturists' school, 330

Food, availability, 275-283
effect of weed control, 99-100

Ladders, 302

meal, 363

Policy, American, 28, 297, 315-331
production, and water use, 297-314
potential, 61-73

salvage, 369

stocking policies and programs, 343-370
survey, 326-327

Fishery Compact, Atlantic States Marine, 323, 330
programs, administration, 315-331
investigations, status, 24-25
legislation, new, 27-28
regulations, Great Lakes, 316
Maryland, 144-148

Fishing effort, 63-73, 236-248
grounds, extension of, 63-73
intensity, control in Maryland, 144-148
"satisfaction", 339
strain, 26

Fishways, 319

Barr, 317

Flatworms, free-living, 222

Flies, 109-111

Flood control, 300
and dams, 307-308

legislation, 29

Flounder, potential yields, 65, 66, 68
 Food grade, effective, 277-278
 preference, 226
 organisms, 220-223
 supply from fisheries, 61-73
 Forage fish, 349
 ratio, 275-283
 Forest Service, U. S., 298-299, 308, 317, 345
 Fort Peck Dam, 83
 Worth Dam, 92
 Fraser River sockeye salmon, 35
 Frequency distribution, trout in gill nets, 265-267
 Fry, definition, 291
 plantings, whitefish, 118-121
 production per nest, 357, 365-366
 versus fingerlings, stocking, 354
Fundulus olivaceus, 203
 sp., 185-194
 Furunculosis, 316

G

Gambusia holbrooki, 185-194
Gammarus sp., 222, 225
 Gar, 203, 206
 shortnose, in Florida, 184-194
 Gas-bubble disease, 116
 Gastropoda, 110-111
 Geological Survey, U. S., 306
 George Washington National Forest, 353
 Gibbs, George, (In Memoriam), 58
 Gill nets, frequency distribution of fish, 265-267
 Gillette Pollution Bill, 42-49
 Gizzard shad, 203, 206
Glariacria confusa, 287
 Goldeye, 203
 Goldfish, control of parasites, 123-129
 mortality, 116
 potential yield, 69
 Gonad measurements, brown trout, 195-200
 Gordon, Seth, (disc.), 56-57
 Gottschalk, John, 22-23; (disc.), 365-369
 Government subsidy, 63
 Grading commercial fish, 316
 Grand Coulee Dam, 302-303, 310
 Grasshoppers, 109-111
 Grayfish, potential yields, 66
 Great Lakes, 318
 fisheries, 34
 fishery statistics, 69
 International Board of Inquiry, 34
 Growth, bluegills in ponds, 104
 largemouth black bass in ponds, 104
 marked trout, 262-263
 northern pike, 157-160
 rock bass, Wisconsin, 131-143
 silver minnow, 216-217
 stunted, causative factors, 102-103
 Guests in attendance, 16-17
 Gulf of Mexico, fishery statistics, 67
 Gunnison River, 348
 Valley, 305-306
 Gwynn Oak Lake, 321
Gyrodactylus, 122-130

H

Haddock, potential yields, 65
 tagging, 228-235
 Hake, potential yields, 65, 66
 Halibut, Pacific, 35
 potential yields, 65, 68

Haliplidae, 170-175
 Hammer, Ralph C., 144-148
 Hatcheries, private, 317
 Hayford, C. O., (disc.), 56, 356-357
Helioperca macrochira, 254
 Hemiptera, 109-111, 257
 Corixidae, 225
 Herring, marine, potential yields, 65, 68
 Herrington, William C., 23-26
Heterandria formosa, 184-194
 Higgins, Elmer, 61-73; (disc.), 54, 301-304
 Hile, Ralph, 131-143
 Hiodontidae, 210
 Hirudinidae, 170-175, 221-225
 Hogan, Joe, (disc.), 369
Holepia barratti, 184-194
 Houghton Lake, northern pike, 149-164
 Howell, Henry H., 165-179
 Hubbs, Carl L., 297-298, 304, 312-313
 Hunter, R. P., 19-21
Huso salmoides, 96, 99, 103, 166-179, 184-194, 203-206
 Hutton, M. L., (In Memoriam), 58
Hybognathus naucoris regius, 107, 215-218
Hyborhynchus notatus, 107
 Hydracarina, 170-175, 221-224
 Hydrophilidae, 170-175, 225
Hydropsyche sparno, 220-224
 Hymenoptera, 109-111, 256-257

I

Ice disappearance and trout migration, 180-183
Ictalurus furcatus, 203
 lacustris punctatus, 203-206
Ictiobus bubalus, 206
 niger, 206
 Illinois Natural History Survey, 326-328
 Impoundments, fresh-water (see also Dams), 80-93
 fish management, 200-214
 Indiana, legislation, 28
 Iowa State University, 319
 Irrigation reservoirs, 298-299, 311-312
 Insects (see under name of Order)
 Instructions for preparing manuscripts, 395-398
 International, Board of Inquiry, Great Lakes Fisheries, 34
 Fisheries Commission, 35, 329
 Pacific Salmon Fisheries Commission, 35, 329
 relations, report, 33-36
Isogenus frontalis, 222, 225
 Izak Walton League of America, 29, 42

J

Japan, abrogates sealing treaty, 36
 Japanese oysters, 33
 James, M. C., 36-38

K

Kamp, Gertrude C., 195-200
 Keokuk, Lake, 81-82
 Kingfish, potential yield, 67
 Kingfisher, 218

L

Labidesthes sicculus, 185-194, 203-210
 Lachner, Ernest A., 106-111

Lake (see also proper name)
 management policies, 332-343
 surveys, 184-194, 201-214, 333, 335, 337

Langlois, T. H., (disc.), 325-326, 343, 348, 352, 353, 357, 359, 360

Latin square, 125-129

Le Compte, E. L., (disc.), 52, 320-321

Leeches, 170-175, 221-225

Legislation and protection, report, 27-29
 Federal, 28-29

Length, standard versus total, 270-274
 weight relationship, rock bass, 139-143

Leonard, Justin W., 199-227

Lepidobrama chrysops, 206

Lepomis cyanellus, 203-206
humilis, 206
macrochirus, 96, 103, 112-114, 166-179, 203-206
m. megalotis, 206
microlophus, 206

Lepidoptera, 110-111

Lepisosteidae
Lepisosteus osseus oxyurus, 203, 206
platyrhincus, 184-194
productus, 203, 206

Leucosomus corporalis, 107, 286-289

Leuctra tenuis, 221-224

License quotas, 144-148, 329

Life history, northern pike, 149-164
 rock bass, 131-141

Limnephiliidae, 225

Little Steep Pond, 186-194

Lobster, fishery conditions, 34
 potential yields, 65

Loss of fish, by irrigation, 311-312

Lucioperca sandra, 116

Lumbriidae, 220-225

M

McKenzie River, 310-311

Mackerel, potential yields, 65, 66
 Spanish, potential yields, 67

Madison River, brown trout, 195-200

Malacostraca
Gammarus sp., 222-225
Hyalella sp., 221

Malaria, 341
 hazard in impounded waters, 87

Management, commercial fisheries, 36-73
 farm ponds, 340-342
 fisheries populations, 210-214, 327-328
 fresh-water fisheries, 61-73, 333
 lakes, 335
 marine fisheries, 61-73, 329-330
 policies, 332-343
 problems, western lakes, 236-248

Manure, pond fertilizer, 366

Manuscripts, instructions for preparing, 395-398

Marine Fisheries Compact, Atlantic States, 27, 323, 330

Marketing, commercial fish, 316

Marking fish, 355
 brook trout, 257-258
 haddock, 228-235

Markus, Henry C., (disc.), 352

Maryland, control of fishing intensity, 144-148, 329
 Department of Game and Inland Fisheries, 320
 of Tidewater Fisheries, 320
 legislation, 27, 144-148, 329

Massachusetts, legislation, 27

Maturity, size of northern pike, 156

Mayfly nymphs, 107, 170-175

Mead, Lake, 81

Measurement, fish-cultural products, 292-293

Mechanical removal of pond weeds, 94

Medina, Lake, 91

Meehan, O. Lloyd, 184-194; (disc.), 350-351

Members, deceased, 58
 in attendance, 15-16
 list of, 378-394

Menhaden, potential yields, 66, 67

Merrimac Watershed, 333

Mexico, Fishery Mission to, 34-35

Microcrustacea, 99

Micropterus punctulatus, 203

Michigan Department of Conservation, 343
 legislation, 28

Midge larvae, 107, 220-224

Migration, northern pike, 153-157
 rainbow trout, 180-183
 tagged fish, 346-347

Migratory fishes and dams, 301-309

Milk, skim, 363

Minerva Lake, 81

Minnesota, legislation, 28

Minnow, bluntnose, 107
 chub, parasites of, 286-289
 eastern silvery, 107
 silvery, artificial propagation, 215-218

Mississippi River, 316

Mississquoi Bay fisheries, 34

Mites, water, 222, 255

Mollusca, 278-279
Pisidium, sp., 255

Molluscs, commercial, 330

Moronidae
Lepidobrama chrysops, 206
Morone interrupta, 206

Mortality, caused by oxygen supersaturation, 112-117

Mosquito fish in Florida lakes, 185-194
 hazard, in impounded waters, 87

Moths, 110-111

Mottley, C. McC., 74-79

Mullet, potential yields, 67

Mundt Pollution Bill, 43-49

Municipal lakes, 313-314

Muskellunge Lake, growth of rock bass, 131-143
 limnological data, 132

Mystrophora americana, 221, 225

N

Najas guadalupensis, 95-98, 166

National and State relations, report, 36-38
 Defense legislation, 307-308
 forest stocking, 36
 Park Service, 321
 Resources Planning Board, 308-309

Nebish Lake, growth of rock bass, 131-143
 limnological data, 132

Needham, Paul R., 33-36, 249-269

Nematoda
Cystidicola stigmatura, 287
Cystidicoloidea hardwoodi, 287
Philonema agubernaculum, 287

Nemoura sp., 221-222

Neophyphax autumnus, 225

Nests, fish, in impoundments, 90-91

Neuroptera, 109-111

New Hampshire Fish and Game Department, 323
legislation, 27
New Lake Hope, 347
New Jersey, legislation, 27
New York, legislation, 27
Nitrogen, cause of mortality, 116
Nominations, report of committee, 54-55
Norris Reservoir, 81, 91, 299-301
North American Council on Fishery Investigations, 33-34
North Atlantic Lobster Conference, 34
North Carolina, legislation, 28
Northern pike, life history, 149-164
sex ratio, 155-157
spawning migration, 153-157
Notemigonus crysoleucas, 96
Notropis c. cornutus, 107
Null hypothesis, 125-129
Nymphaea, 185

O

Odonata, 109-111
Ocala National Forest, 184-194
Officers, list of, 3
reports of, 19-32
Ohio, Conservation Department, 325-326
legislation, 27-28
River, 346-347
Oligochaeta, 170
Opening remarks, president's, 18
Orthoptera, 109-111
Owasco Lake, 106-111
Oxygen, deficiency, 360, 366
supersaturation causes fish mortality, 112-117
Oysters, farming, 330
importation of, 33
potential yields, 71
production statistics, 71
Ozarks, Lake of the, 82

P

Pacific Ocean, fishery statistics, 68-69
Panel discussions, 297-370
Panfish, 328
Paper-mill pollution, 317
Parasites of fishes, 286-289
control methods, 122
Parker Dam, 92
Pathology, yellow pikeperch, 112-113
Patuxent Wildlife Refuge, 330
Pelagic Sealing Treaty, abrogation, 36
Pennsylvania, legislation, 27
Perch, white, 333
yellow, 273, 339, 370
potential yields, 69
Percidae
Lucioperca sandra, 116
Perca flavescens, 272
Stizostedion c. canadense, 203
v. vitreum, 112-116, 118, 272,
286-289
Percina caprodes caprodes, 203-206
Personal training, 317, 318, 331
Peru, Fishery Mission, 35
Phantom midge larvae, 170-175
Philonema agubernaculum, 287
Phosphates, lake fertilizer, 369-370
Physical characteristics, impounded waters, 84-87

Phytoplankton, in fertilized ponds, 96-98
Pickerel, 203-206, 333, 339, 356
Pike, northern, 345
mortality, 112-114
parasites of, 286-289
walleyed, 345, 352-353
Pikeperch, yellow, 293
fry plantings and catch, 118
mortality, 112-116
parasites of, 286-289
potential yields, 69
production, 319
Pilodictis olivaris, 203
Pisidium, sp., 255
Pittman-Robertson Act, 28-29, 38
Plankton, production in ponds, 168-175
seasonal variation, 169
Planariidae, 222
Planting, relation to catch, whitefish, 118-121
spring versus fall, 259-261
Plants, aquatic, control by fertilization, 94-101
Plecoptera, 107, 109-111
Altocapnia torontoensis, 221-224
Isogenus frontalis, 222, 225
Isoperla, sp., 221, 224
Leuctra tenuis, 221-224
Nemoura, sp., 221-222
Poeciliidae
Fundulus olivaceus, 203
sp., 185-194
Gambusia holbrookii, 185-194
Heterandria formosa, 184-194
Poisoning undesirable fish, 104
Pollock, potential yields, 65
Pollutants, list of, 93
Pollution, 351
control, 317
in impounded waters, 92-93
laws, pending legislation, 42-49, 330
report of committee, 42-49
resolution concerning, 53
Polyodontidae
Polyodon spathula, 203
Pomolobus chryschloris, 203, 206
Pomoxis annularis, 103, 178, 203-206
nigro-maculatus, 112-114, 203-206
Pomphorhynchus bulbocotylis, 287
Ponds, bottom fauna, 165-179
culture, 365-366
fish production, 358
management, 102-105, 332-343
program, 340-342
propagation, silvery minnow, 215-218
Poole, Gardner, (In Memoriam), 58
Populations, density, 236-248
in Florida lakes, 184-194
management, 327-328
study of, 25-26
Wheeler Reservoir, 201-214
Potamogetus angustifolius, 98-100
pustulosus, 98-100
Power Projects, 324
Reservoirs, 311-312
Powerline Slough, fish production, 207-209
Presidents, list of past, 6-7
opening remarks of, 18
Pribilof Islands, fur seals, 36
Private propagation, 318
Processing fish food, 364
Production, eggs per female, 350
fish, and water use, 297-314
fry per nest, 357
per acre, 263-264, 350, 354

Productivity, bottom fauna, ponds, 165-179
 fish ponds, 103, 341, 358
 impounded waters, 87-91
 small lakes, 188-194
 Propagation, artificial, effectiveness, 118-121, 352-353
 bait, 326
 silvery minnow, 215-218
 trout, 361-365
 Protection and legislation, report, 27-29
Proteocephalus larva, 287
Protozoa, 115
Pseudobranchus striatus, 187
 Public Health Service, U. S., 43-49
 Publications, report of committee, 39-41
 Publicity, conservation, 317

Q

Quotas, license, 329

R

Raney, Edward C., 106-111, 215-218
 Ratio, availability to utilization, 275-283
 Rayner, H. J., 180-183
 "Reclamation Act", 306
 of fishing waters, 333
 Recovery, marked trout, 261-262
 Redfish, potential yields, 65
 Regression, weight on length, 272
 Regulation, changes in State, 27-28
 fishing intensity, 144-148, 329
 uniformity of, 27
 Reid, Kenneth A., 42-49; (disc.), 305-309
 Reservoirs, irrigation, (see also dams), 298-299, 311-312
 power, 311-312
 Resolutions, committee, report, 51-54
 Returns, tagged haddock, 231-233
Rhaphidoblote, sp., 221-222
Rhinichthys o. atratulus, 107
 cataractae, 107
 Rhode Island, legislation, 27
Rhyacophilidae sp., 220-224
 Richardson, Lawrence R., 286-289
 River (see proper name)
 Roach, Lee S., (disc.), 346-348, 360-361
 Rock bass, age and growth, 131-143
 Rock Island Dam, 302-303
 Rodd, James A., 29-32, 290-293; (disc.), 359-360
 Rotenone treatment, (see also Derris), 187-188
 Rough fish problem, 267-268
 removal, 319
 Rounsefell, George A., 228-235
 Royce, William F., 27-274
 Rupert River, 286

S

Sacramento River, 303
 Saginaw Bay, 353
 Salamander, effect of rotenone, 187
 Salmon, Atlantic, 284-285, 352, 360
 canned, 1941 pack, 33
 chinook, 310-311, 333
 industry, 310
 landlocked, 333
 potential yields, 68
 sockeye, Fraser River, 35

Salmonidae
Cristivomer namaycush, 272, 286-289
Salmo gairdneri, 74-79, 180-183, 354
gairdneri irideus, 107
henewhaui, 254
irideus, 278
salar, 278, 284-285
trutta, 106-111, 195-200, 236-248, 254, 278
Salvelinus fontinalis, 236-248, 278, 286-289
 Salvage, migratory fishes, 302-303
 Sampler, "stove pipe," for bottom fauna, 167-168
 Sampling, 25-26
 San Joaquin River, 303
Saprolegnia, 218
 Sauger, 203
 potential yields, 69
 Scales, use to compare growth, 74-79
 Schneberger, Edward, (disc.), 315-318, 369-370
 Schuck, Howard A., 236-248
 Sciaenidae
Aplodinotus grunniens, 203-210
 Scientific names, report of committee, 38-39
 Screening diversions, 304, 306-307, 311-312
 Suds, 109-111
 Scup, potential yields, 66
 Seals, fur, 36
 Secretary, report, 19
 Securities, list of, 21
 Selective fishing, 267
Smotilus a. atramaculatus, 107
 Serranidae, 203
 Sex ratio, northern pike, 155-156
 Shad, decline in Chesapeake Bay, 144-145
 gizzard, 349
 potential yields, 66
 Shantz, H. L., (disc.), 298-299
 Sharks, potential yields, 66, 67, 68
 Shasta Dam, 303
 Sheephead, 203-206
 potential yields, 69
 Shellfish, importation of, 33
 Shields, A. Randolph, (disc.), 336
 Shinier, eastern common, 107
 golden, 96
 Shoshone Lake, 83
 Shrimp, fresh-water, 221
 potential yields, 68
 Sialids, 109-111
 Silver Lake, growth of rock bass, 131-143
 limnological data, 132
 Silversides, brook, in Florida lakes, 185-194
 Simon, James R., (disc.), 311-312, 321-322
Simulium venustum, 220, 221-225
 Skaneateles Lake, 180-183
 Slade, George T., (In Memoriam), 58
 Slough, Sweetwater, fish production, 209-210
 Smelt, 316
 potential yields, 69
 Smith, Lloyd L., Jr., (disc.), 336-338
 Smith, E. V., 94-101, 102-105
 Snails, 110-111
 Sodium arsenite, control of pondweeds, 94
 Soil Conservation Service, U. S., 309, 326, 345
 erosion, 326
 Soy-bean meal, pond fertilizer, 366
Sporangoniphidae sp., 187
 Spawning migration, northern pike, 153-157
 Speaker, E. B., (disc.), 318-320, 359

Spiders, 109-111
 Spot, potential yields, 67
 Spring planting, 259-261
 Spring-tails, 107-111
 Standard versus total length, 270-274
 Stapledon, Charles F., 290-293
 State and National relations, report, 36-38
 Statistics, Great Lakes whitefish, 118-121
 United States fisheries, 61-73
Stenelmus sp., 221
 Sterilization, fish eggs, 316-317
Stizostedion c. canadense, 203
 v. *vitreum*, 112-116, 118, 272, 286-289
 Stocking, faults, 22
 fry versus fingerlings, 354
 legal-sized fish, 355
 policies and programs, 343-370
 spring versus fall, 259-261
 Stonely nymphs, 107, 109-111, 221-224
 Stream surveys, 337-338
 Stratification, temperature, 84
 Stunted fish populations, management, 102-105
 Sturgeon, 203
 Subsidy, for commercial fisheries, 63
 Sucker, 348
 common, 107
 mortality, 112-114
 parasites of, 287
 eastern sturgeon, 107
 potential yields, 69
 Sumner, Frank K., 236-248
 Sunfish, 203-206
 eggs per female, 350
 in Florida lakes, 185-194
 red-eared, 349
 Superior National Forest, 337
 Superphosphate, 342
 Survey, fish, 326-327
 lakes, 184-194, 333, 335, 337-338
 stream, 337
 Surber, Eugene W., (disc.), 353-354
 Survival, planted brook trout, 257-258
 Swordfish, potential yields, 65
 Swingle, H. S., 94-101, 102-105; (disc.), 340-342, 357-359

T

Tabanidae, 170-175
 Tacon, Lake, 90
 Tagging fish, 228-235, 346-347
 Tahoe, Lake, 251
 Tarzwell, Clarence M., 201-214; (disc.), 349-350
 Taylor River, 305
 Temperatures in rearing ponds, 362
 Tennessee Division of Game and Fish, 336
 Valley Authority, 201-214, 299-301, 351
 Testudinata
Amyda ferox, 187
 Thorpe, Lyle M., (disc.), 338-340
 Time and Place, report of committee, 55-56
 Tingley, Frank A., 284-285
 Tipulidae, 220-222
Tipula sp., 225
 Total versus standard length, 270-274
 Trematoda
Crepidostomum cooperi, 287
 Treasurer, report, 19-21
 Treaty, Pelagic Sealing, 36
 United States-Mexican Fishery, 36

Trichoptera, 107, 170-175, 278-279
Brechycentrus americanus, 225
 • *Chimarra aterrima*, 221
Hydropsyche sp., 221-222, 224
Hydroptilidae, 225
Limnephilidae, 225
Mystrophora americana, 221, 225
Neophylax autumnus, 225
Rhyacophilidae sp., 220-224

Trout
 brook, 357, 362, 363
 cost of rearing, 258-259
 feeding habits, 219-227
 management problems, 236-248
 parasites of, 286-289
 population density, 236-248
 brown, 254, 333, 362
 feeding habits, 106-111
 gonad measurements and egg counts, 195-200
 juvenile coloration, 107-108
 population density, 236-248
 culture, 361-365
 cut-throat, 254
 lake, 272, 333
 potential yields, 69
 Lake, growth of rock bass, 131-143
 limnological data, 132
 Loch Leven, 254, 348
 rainbow, 107, 254, 333, 348, 353
 comparison of growth, 74-79
 spawning migration, 180-183
 sea, potential yields, 67
 Truitt, R. V., 144-148
 Tubificidae, 170-175
 Tuna, potential yields, 65
 Turbellaria
Planariidae, 222
 Turtle, soft-shell, effect of rotenone, 187

U

United States fisheries, statistics, 61-73
 Utilized fishes, potential production, 63-73
 Upper Angora Lake, age of trout, 264-265

V

Van Oosten, John, 118-121; (disc.), 56-57, 315, 328, 352-353
 Vice-Presidents, reports of, 22-32
 Visibility, haddock tags, 232-235
 Vogt, James H., (In Memoriam), 58
 Volume of eggs, changes, 284-285

W

Wakonichi, Lake, parasites of fishes, 286-289
 War Department, U. S., 44-49, 301-304
 Warfel, Herbert E., (disc.), 322-324, 333-334
 Washington, George, National Forest, 353
 Wasps, 256
 Waste, utilization of, 63-73
 Water boatman, 170-175
 fleas, 256
 mites, 170-175
 scavenger beetle, 170-175
 use, relation to fish production, 297-314

Waubesa, Lake, mortality of fishes, 112-117
Weed control, 94-101, 341
Weirs, for counting migrants, 151-157
Westerman, Fred A., (disc.), 354-355, 361-365
Wheeler Reservoir, 349
 fish populations, 201-214
Whitefish, 293, 352
 fry plantings, 118-121
 parasites of, 286-289
 potential yields, 69
Whiting, potential yields, 65, 66
Wiebe, A. H., (disc.), 299-301, 351
Willamette River, 303-304, 310
 resolution, 53
 Valley Project, 310
Wilson Reservoir, 301, 351
Winn, Dennis, (In Memoriam), 58
Winter kill, 254, 326-327, 337
Wire, Frank B., (disc.), 310-311
Wisconsin Conservation Department, 315-318, 343
Geological and Natural History Survey, 317, 369
lakes, growth of rock bass, 131-143
Wolfish, potential yields, 65
Woodbury, Lowell A., 112-117
Works Progress Administration, U. S., 336
Worms, aquatic, 220-225
Wright, Stillman, (disc.), 338
Wyoming, legislation, 28

Y

Yakima River, 303
Yearlings, definition, 291
Yield per acre, 260-264, 350, 354
 per unit effort, 236-248

Z

Zander, 116